



**PARTIAL FIRST FLOOR BEARING PLATE PLAN**

- 1.) TOP OF JOIST AND BEAM BEARING PLATE ELEVATIONS ARE NOTED THUS [XX'-XX"] IN PLAN.
- 2.) TOP OF BEAM/JOIST ELEVATION = 99'-6" U.N.O.
- 3.) SEE DRAWINGS E13 AND E14 FOR TYPICAL BEARING PLATE DETAILS.

**ALL WF MATERIAL ASTM A992  
ALL OTHER MATERIAL A36 U.N.O.**



APPROVAL ONLY	3/4/05	TUBING	ASTM A500, GR B
FIELD USE	7/7/05	PIPE	ASTM A53, GR B
ERECTOR		BOLTS	1/2" DIA. A325N
FILE & DISTRIBUTION		HOLES	1/2" DIA. U.N.O.
SHOP USE		WELD	E70XX ELECTRODES (LOW HYDROGEN FOR GRADE 50 STEEL)
		PAINT	NONE
		(EXCLUDE PAINT ON GALV. ANON-FERR. MATERIAL)	
		SURFACE PREP	NONE

**WOLF STEEL INC.**  
FABRICATORS OF STRUCTURAL STEEL SUPPLIERS OF STEEL JOISTS AND METAL DECK

170 FULLING MILL ROAD  
MIDLETON, PENNSYLVANIA 17057-0350  
(717) 944-1423

APPROVED BY: **JOHN MILNER ARCHITECTS, INC.**

PROJECT: **WESTMINSTER PRESBYTERIAN CHURCH ADDITION**

CONTRACTOR: **ARTHUR FUNK & SONS, INC.**

JOB NO. **040485**

SHEET NO. **E11**

REV	DATE	DESCRIPTION
0	3/04/05	ISSUE FOR APPROVAL
1	7/06/05	PER APPROVAL COMMENTS

E11